













Companion Planting Chart



Type of Vegetable	Friends	Enemies	Special Notes
<p>Asparagus</p> 	<p>Basil, carrots, coriander, dill, marigolds, parsley, tomatoes</p>	<p>Garlic, onions, potatoes</p>	<p>Marigolds, parsley and tomatoes protect against asparagus beetles.</p>
<p>Basil</p> 	<p>Asparagus, beans, beets, bell peppers, cabbage, chili peppers, eggplant, marigolds</p>	<p>Rue</p>	<p>When basil is grown about 1 foot from tomato plants, it will increase the tomatoes yield. It also improves</p>

<p>Beans</p> 	<p>Beets, carrots, chard, cabbage, corn, cucumbers, peas, radishes</p>	<p>Garlic, onions</p>	<p>Nasturtiums and rosemary deter bean beetles</p>
<p>Beets</p> 	<p>Broccoli, Brussels sprouts, bush beans, cabbage, cauliflower, chard, kohlrabi, onions</p>	<p>Charlock, field mustard, pole beans</p>	<p>Pole beans and beets will compete for growth. Composted beet leaves add magnesium to</p>
<p>Broccoli</p> 	<p>Basil, beets, bush beans, carrots, celery, chamomile, cucumber, dill, garlic, lettuce, marigolds, mint, nasturtiums, onions, radishes,</p>	<p>Asparagus, cantaloupe, climbing beans, mustard, peppers, pumpkins, strawberries, sweet corn, watermelon</p>	<p>Rosemary repels the cabbage fly that is detrimental to broccoli.</p>

<p>Cabbage</p> 	<p>Beets, celery, chard, lettuce, spinach, onions</p>	<p>Kohlrabi, tomatoes</p>	<p>Hyssop, mint, and sage deter cabbage moths</p>
<p>Carrots</p> 	<p>Beans, lettuce, onions, peas, peppers, tomatoes</p>	<p>Dill</p>	<p>Chives improve flavor, rosemary deters carrot flies</p>
<p>Corn</p> 	<p>Climbing beans, cucumber, marjoram, peas, pumpkins, squash, sunflowers, zucchini</p>	<p>Tomatoes</p>	<p>Tomato worms and corn earworms like both plants. Beans and peas supply nitrogen.</p>

<p>Onions</p> 	<p>Cabbage, carrots, chard, lettuce, peppers, tomatoes</p>	<p>Beans, peas</p>	<p>Chamomile improves growth and flavor</p>
<p>Potatoes</p> 	<p>Basil, beans, celery, corn, garlic, horseradish, lettuce, marigolds, onions, peas, radishes, spinach</p>	<p>Asparagus, broccoli, Brussels sprouts, cabbage, cauliflower, carrots, cucumbers, eggplant,</p>	<p>Cucumbers, tomatoes and raspberries attract harmful pests to potatoes. Horseradish increases disease</p>
<p>Pumpkin</p> 	<p>Beans, corn, marigolds, nasturtiums, squash</p>	<p>Potatoes</p>	<p>NONE</p>

<p>Radishes</p> 	<p>Beets, cabbage, carrots, chives, cucumbers, kale, lettuce, spinach, squash</p>	<p>Hyssops</p>	<p>Radish plants will work as a trap crop to protect against certain beetles.</p>
<p>Squash</p> 	<p>Beans, corn, dill, marigolds, nasturtiums, peas, radishes, strawberries, sunflowers</p>	<p>Potatoes</p>	<p>Squash has similar traits to pumpkin in terms of companion plants.</p>
<p>Strawberries</p> 	<p>Bush beans, caraway, chives, lettuce, onions, sage, spinach, squash</p>	<p>Cabbage family, eggplants, peppers, potatoes, tomatoes</p>	<p>NONE</p>

<p>Tomatoes</p> 	<p>Asparagus, carrots, celery, onions, parsley, peppers</p>	<p>Corn, dill, kohlrabi, potatoes</p>	<p>Basil, mint, and bee balm improve growth and flavor</p>
<p>Zucchini</p> 	<p>Beans, corn, dill, garlic, marigolds, nasturtiums, oregano, peas, radishes, spinach</p>	<p>Potatoes and pumpkin</p>	<p>NONE</p>